

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) PATENT APPLICATION
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. AU 200179477 A1

(54) Title
Gaming graphics

(51)⁷ International Patent Classification(s)
A63F 013/00 G06F 019/00
A63F 005/04 G06T 015/70

(21) Application No: 200179477

(22) Application Date: 2001.10.17

(30) Priority Data

(31) Number	(32) Date	(33) Country
PR1006	2000.10.25	AU

(43) Publication Date : 2002.05.02

(43) Publication Journal Date : 2002.05.02


(71) Applicant(s)
Aristocrat Technologies Australla Pty Ltd

(72) Inventor(s)
Robert Linley Mulr

(74) Agent/Attorney
F B RICE and CO,605 Darling Street,BALMAIN NSW 2041

ABSTRACT

A gaming machine graphics package includes a storage device for storing data relating to non-varying parts of an image, the non-varying parts of the image being independent of an outcome of a game played on the gaming machine. An image generator generates simulated three-dimensional additional parts of the image, the
5 additional parts being dependent on the game outcome. A compositor merges the non-varying parts of the image and the additional parts of the image to provide to the player a composite image relating to the game outcome.



THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A gaming machine graphics package, the graphics package including
a storage device for storing data relating to non-varying parts of an
image, the non-varying parts of the image being independent of an outcome
5 of a game played on the gaming machine;
an image generating means for generating simulated three-dimensional
additional parts of the image, the additional parts being dependent on the
game outcome; and
a compositing means for merging the non-varying parts of the image
10 and the additional parts of the image to provide to the player a composite
image relating to the game outcome.
2. The graphics package of claim 1 in which non-varying parts of the
image which are the same for all possible outcomes are pre-rendered and
15 stored in the storage device.
3. The graphics package of claim 2 in which the simulated three-
dimensional images are generated using 3D computer rendering software.
- 20 4. The graphics package of claim 3 in which, from the game outcome, the
relevant simulated three-dimensional images are generated and mapped to
appropriate locations in the non-varying parts of the image to be composited
and displayed to the player as a composite image dependent on the game
outcome.
- 25 5. The graphics package of any one of claims 2 to 4 in which the
compositing means is a Z-buffer compositor.
6. The graphics package of claim 5 in which the pre-rendered image is
30 created with a Z-buffer depth value for each pixel in every scene of the image.
7. The graphics package of claim 6 in which Z-buffer data are loaded into
a real time 3D video card for each frame of the image, the additional 3D
objects being composited into the image using 3D techniques and using the Z-
35 buffer data loaded with the image.




FIG. 2

FIG. 2

FIG. 2

FIG. 2

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

1
 2
 3
 4
 5
 6

AUSTRALIA
Patents Act 1990

Aristocrat Technologies Australia Pty Ltd

ORIGINAL

**COMPLETE SPECIFICATION
STANDARD PATENT**

Invention Title:

Gaming graphics

The following statement is a full description of this invention
including the best method of performing it known to us:-

Gaming graphics

Field of the Invention

This invention relates to a gaming machine. More particularly, the invention relates to a gaming machine graphics package and to a method of presenting to a player a game outcome of a game played on a gaming
5 machine.

Background to the Invention

Traditionally, there are several ways to provide high quality graphics in gaming machines. These include:

- 10 • Images which are stored in EPROM or hard disk and which are played back on the screen using traditional 2D techniques. Animations are commonly used to improve the presentation and some products store large amounts of animation on hard disk drive. Animations may be generated from 3D modelling software and pre-rendered into a 2D
15 animation; or
- Real-time 3D which is used to generate images from 3D models stored in memory.

In theory, the same scenes can be generated by either method. Pre-rendered graphics are produced ahead of time and played back like a video.
20 The 3D system recreates the image in real-time. The 2D system has the potential for superior image quality at the cost of flexibility. The real-time 3D system has flexibility, but poorer image quality.

There are many effects that are difficult or impossible to pre-render into 2D, yet are easy to perform in real-time 3D. On the other hand there are
25 many effects that are easy to pre-render, yet very hard or impossible to perform with real-time 3D.

An example of the flexibility of 3D is the rippling water effect, in which, after a win, the entire screen is rippled as if it were water. This is very simple to achieve in 3D, as the screen is simply divided into a large number
30 of polygons which are moved in a wave. It does not matter what image is overlaid on the polygon mesh. The same effect is effectively impossible to pre-render because of the large number of possible stopping positions on the reel strips (perhaps 100 million).

An example of the quality of 2D is a photograph or video of, say, a person. It is not possible to model a person convincingly in real-time 3D, yet it is very simple to take a photograph or video.

5 Summary of the Invention

According to a first aspect of the invention, there is provided a gaming machine graphics package, the graphics package including

a storage device for storing data relating to non-varying parts of an image, the non-varying parts of the image being independent of an outcome
10 of a game played on the gaming machine;

an image generating means for generating simulated three-dimensional additional parts of the image, the additional parts being dependent on the game outcome; and

a compositing means for merging the non-varying parts of the image
15 and the additional parts of the image to provide to the player a composite image relating to the game outcome.

"Non-varying" as used in this specification means, unless the context clearly indicates otherwise, that part of an image which remains the same from game to game irrespective of the game outcome. However, in the game,
20 the image may vary spatially and/or temporally.

Thus, non-varying parts of the image which are the same for all possible outcomes may be pre-rendered and stored in the storage device. In so doing a high quality reproduction of the non-varying parts of the image can be obtained.

25 The simulated three-dimensional images may be generated using 3D computer rendering software. Preferably, the software used is a ray-tracing program.

From the game outcome, the relevant simulated three-dimensional images may be generated and mapped to appropriate locations in the non-varying parts of the image to be composited and displayed to the player as a
30 composite image dependent on the game outcome.

Various compositing techniques may be used for compositing the pre-rendered, non-varying parts of the image and the real time simulated three-dimensional parts of the image.

35 Hence, for example, the compositing means may be a Z-buffer compositor. This technique has the advantage that the real time 3D objects to

be composited may be partially decoupled from the original 3D model used to create the image and are automatically composited into the image.

The pre-rendered image may be created with a Z-buffer depth value for each pixel in every scene of the image. For computer generated images this is usually output from tools used to create the image.

The Z-buffer data may be loaded into a real time 3D video card for each frame of the image, the additional 3D objects being composited into the image using 3D techniques and using the Z-buffer data loaded with the image. The 3D objects may appear in the image according to their Z positions. Normally the 3D objects and pre-rendered image share the same basic environment, with lighting, camera positions, etc, to produce a consistent look to the image, as if they had been produced together.

In another embodiment, the compositing means may employ an alpha channel. This approach requires that the real time 3D objects be created at exactly the same place they will occupy in the composite image. However, the advantage of the alpha channel approach is that it requires less data than a Z-buffer and that the 3D objects are blended into the rendered image using alpha channel values created by the rendering program.

The image may be separated into those parts which are pre-rendered and those that are drawn using real time 3D. When an animation image is created, each pixel in a final output may be output with additional information about alpha-channel values and a material value or object identification (ID). The material value or object ID may be used to identify those pixels which are part of the pre-rendered image and those which will be generated in real time by a 3D engine.

A post-processing stage in an output file may modify the image alpha channel to mask out or include the real-time 3D parts of the image. For example, a pixel which is entirely generated by pre-rendering may have an alpha-value which is non-transparent, such that the pixel on display is 100% from the pre-rendered image. A pixel which is entirely from the real time 3D image may have an alpha-channel value such that the displayed pixel is 100% from the real-time image.

Some pixels in the original image may have an intermediate alpha value, better to merge the separate elements of the image together. These values are preserved and produce higher quality image composition. When creating the image, the real-time parts of the image may be generated using a

pure white surface. Effects applied to this surface may also be applied to the real-time generated pixels in the final output.

In respect of either technique, some properties of the real-time 3D objects may be pre-rendered and combined with the 3D object as it is being
 5 drawn on screen. For example a shadow may be cast on the 3D object. The shadow may then be created, during rendering, on to a white place holder representing the 3D object.

According to a second aspect of the invention, there is provided a method of presenting a game outcome of a game played on a gaming machine
 10 to a player, the method including the steps of

storing data relating to non-varying parts of an image in a storage device, the non-varying parts of the image being independent of an outcome of a game played on the gaming machine;

generating simulated three-dimensional additional parts of the image,
 15 the additional parts being dependent on the game outcome; and

compositing the non-varying parts and the additional parts of the image to provide a composite image relating to the game outcome to the player.

The method may include rendering the simulated 3D images in real time and compositing them with the non-varying images in real time.

20 The method may further include, prior to displaying a game outcome and its associated images to the player, determining the game outcome.

From the game outcome, the method may include generating the relevant simulated three-dimensional images and mapping them to appropriate locations in the non-varying parts of the image to be composited
 25 and displayed to the player as a composite image dependent on the game outcome.

In one embodiment of the invention, the method may include using Z-buffer compositing. Hence, the method may include creating a pre-rendered image with a Z-buffer depth value for each pixel in every scene of the image.

30 The method may then include loading the Z-buffer data into a real time 3D video card for each frame of the image. The method may include compositing additional 3D objects into the image using 3D techniques and using the Z-buffer data loaded with the image.

In another embodiment of the invention, the method may include
 35 creating an alpha channel as a compositing technique. In this embodiment,

the method may include separating the image into those parts which are pre-rendered and those that are drawn using real time 3D.

The method may therefore include outputting each pixel in a final output with additional information about alpha-channel values and a
 5 material value or object identification (ID). Then, the method may include using the material value or object ID to identify those pixels which are part of the pre-rendered image and those which will be generated in real time by a 3D engine.

The method may include using a post-processing stage in an output file
 10 to modify the image alpha channel to mask out or include the real-time 3D parts of the image.

Further, the method may include pre-rendering some properties of the real-time 3D parts of the image and combining them with the 3D parts of the image as the image is being drawn on screen.

15

Brief Description of the Drawings

The invention is now described, by way of example, with reference to the accompanying drawings in which

Figure 1 shows a three dimensional view of a gaming machine,
 20 including a graphics package in accordance with the invention;

Figure 2 shows a block diagram of a control circuit for the gaming machine of Figure 1;

Figure 3 shows a representation of two cubes used in the generation of representations of two dice;

25 Figure 4 shows a representation of one of the cubes with all its faces visible;

Figure 5 shows the possible graphical images which can be applied to each of the faces of the cubes of Figure 3; and

Figure 6 shows the two dice after application of the relevant graphical
 30 images from Figure 5.

Detailed Description of the Invention

In Figure 1, reference numeral 10 generally designates a gaming machine, including a game, in accordance with the invention. The machine
 35 10 includes a console 12 having a video display unit 14 on which a game 16,

such as a spinning reel game having a video simulation of spinning reels 18, is played, in use.

A midtrim 20 of the machine 10 houses a bank 22 of buttons for enabling a player to play the game 16. The midtrim 20 also houses a credit
5 input mechanism 24 including a coin input chute 24.1 and a bill collector 24.2.

The machine 10 includes a top box 26 on which artwork 28 is carried. The artwork 28 includes paytables, details of bonus awards, etc.

A coin tray 30 is mounted beneath the console 12 for cash payouts
10 from the machine 10.

Referring now to Figure 2 of the drawings, a control means or control circuit 40 is illustrated. A program which implements the game and user interface is run on a processor 42 of the control circuit 40. The processor 42 forms part of a controller 44 which drives the screen of the video display unit
15 14 and which receives input signals from sensors 46. The sensors 46 include sensors associated with the bank 22 of buttons and touch sensors mounted in the screen 16. The controller 44 also receives input pulses from the mechanism 24 indicating that a player has provided sufficient credit to commence playing. The mechanism 24 may, instead of the coin input chute
20 24.1 or the bill collector 24.2, or in addition thereto, be a credit card reader (not shown) or any other type of validation device.

The controller 44 drives a payout mechanism 48 which, for example, may be a coin hopper for feeding coins to the coin tray 30 to make a pay out to a player when the player wishes to redeem his or her credit.

25 The controller 44 includes a graphics package 50 which is operated under the control of the processor 42. The graphics package 50 includes a mass storage device in which pre-rendered data relating to non-varying parts of an image to be displayed on the screen of the video display unit 14 are stored. Further, the graphics package 50 includes an image generating means
30 or image generator 54. The image generator 54 generates simulated three-dimensional (3D) additional parts of the image. These additional parts of the image are dependent on the outcome of the game 16 played on the gaming machine 10.

The image generator 54 includes a compositor which composites data
35 from the storage device 52 and the image generator 54 to provide a composite image which is displayed on the screen of the video display unit 14, the

composite image, including the real-time rendered 3D data and which is representative of the game outcome.

Generally, the part of the image which is the same for all possible outcomes or animations is pre-rendered using appropriate pre-rendering tools and is stored in the storage device 52. Those parts of the image which
 5 and is stored in the storage device 52. Those parts of the image which depend on the game outcome are generated using real-time 3D techniques via the image generator 54. The two parts of the image are composited together to present the game outcome to the player.

For example, in the case of an electronic gaming simulation of a
 10 roulette wheel, the variable part of the animation are the numbers on the roulette wheel. The rest of this image is pre-generated as a high quality animation and the numbers are then merged with the wheel during playback.

A further example is illustrated in Figures 3 – 6 of the drawings where two dice 56 (Figure 6) are shown. The dice 56 may be generated, for example,
 15 as a result of a special feature arising from the underlying base, spinning reel game 16.


For the best visual quality of the images of the dice 56, an animation is rendered of the dice being thrown using a suitable, commercially available ray-tracing program. The animation might also contain a table (not shown)
 20 on which the dice 56 are thrown, hands to perform the throwing, bouncing and rolling of the dice, etc.

It will be appreciated that, for two dice, there are 36 possible outcomes and this increases exponentially for the number of dice available in the animation. Accordingly, the number of animations or outcomes quickly
 25 becomes difficult to pre-render and store.

Also, for each possible outcome it may be desirable to generate several different ways in which the dice 56 and camera move to arrive at that outcome. This further increases the number of animations for which storage is required.

30 Using the technique of the invention, those parts of the image which are independent of the outcome are pre-rendered and those parts which depend on the outcome are generated in real-time using 3D techniques, and both are composited into the image in real-time as the animation plays..

In the example shown in Figures 3-6 of the drawings, the animation of
 35 the dice 56 being thrown on to the table, the dice 56 bouncing and rolling and the final resting position of the dice 56 is pre-rendered with high quality. The



actual faces of the dice are drawn in real-time 3D and composited into the animations in real-time.

As shown in Figure 3 of the drawings, two cubes 58 are pre-rendered without any dots applied to their faces. As will be appreciated, each cube 58 has, in effect, six faces 60, as shown in Figure 4 of the drawings.

The possible images 62 which can be applied to each face 60 of the cubes 58 are shown in Figure 5 of the drawings.

Prior to showing the game to the player on the screen of the video display unit 14, the outcome of the game is determined by the controller 44. A mapping between the faces 60 of the cubes 58 and the images 62 to be displayed is created. If, for example, it is desired to show the first die 56.1 having a "1" on its face A1 and the second die 56.2 having a "6" on its face A2, then face A1 has image 62.1 mapped to it and face A2 has image 62.2 mapped to it. The other faces of the dice 56 are not important to the outcome of the game and can be selected from any of the remaining graphical images 62.

As the animated image is shown to the player, the dice 56 are composited into the scene. More particularly, the animation of the cubes 58 being thrown, etc, has been pre-rendered and is extracted from the storage device 52. The animations of the graphical images 62 are extracted from the image generator 54 and, via the compositor of the processor 42, are composited on to the relevant faces of the cubes 58 so that, when the dice 56 come to rest as shown in Figure 6 of the drawing, the relevant faces of the dice 56 are in the correct position for the predetermined outcome of the game. Any suitable compositing technique may be employed in the processor 42.

In one embodiment, Z buffer compositing can be used. In this case, the cube 58 of each die 56 is pre-rendered and is allocated a Z buffer depth value for each pixel in every scene of the image. These Z buffer data are loaded into a real time video card of the controller 44 for each frame of the image. The selected faces 62 of the dice 56 are composited into the image using 3D techniques and using the stored Z-buffer data. It is to be noted that the cubes 58 of the dice 56 and their faces 62 share the same basic environment, with lighting, camera positions, etc, to produce a consistent look to the image, as if they had been produced together.

In another embodiment, the compositor of the processor 42 may employ an alpha channel. This approach requires that the real time 3D objects be created at exactly the same place they will occupy in the composite image.

However, the advantage of the alpha channel approach is that it requires less data than a Z-buffer and that the 3D objects are blended into the rendered image using alpha channel values created by the rendering program.

The image is separated into those parts, being the cubes 58 of the dice 56, which are pre-rendered and those parts, being the faces 62 of the dice 56, that are drawn using real time 3D. In other words, in this case, everything except the faces 62 of the dice 56 are pre-rendered. When an animation image is created, each pixel in a final output is output with additional information about alpha-channel values and a material value or object identification (ID). The material value or object ID are used to identify those pixels which are part of the pre-rendered images of the cubes 58 and those pixels associated with the faces 62 which will be generated in real time by a 3D engine.

A post-processing stage in an output file modifies the image alpha channel to mask out or include the real-time 3D parts of the image. For example, a pixel which is entirely generated by pre-rendering has an alpha-value which is non-transparent, such that the pixel on display is 100% from the pre-rendered image. A pixel which is entirely from the real time 3D image has an alpha-channel value such that the displayed pixel is 100% from the real-time image. Some pixels in the original image may have an intermediate alpha value, better to merge the separate elements of the image together. These values are preserved in the controller 44 and produce higher quality image composition.

When creating the image, the real-time parts of the image may be generated using a pure white surface. The pre-rendering tool may be used to determine, beforehand, some effects, such as lighting and reflections, that can be applied to the real-time 3D object. In other words, those effects for the real-time 3D objects are pre-rendered and the 3D objects are enhanced with the effects, it being appreciated that the effects may be too complex to calculate in real-time. The objects that are displayed using real-time 3D are represented in the pre-rendering tool by white objects and the effects applied to the white objects during rendering can be extracted and applied to the real-time 3D objects they represent during compositing.

It is an advantage of the invention that a high quality image generating system is provided which does not require an inordinately large amount of data storage capacity.

It will be appreciated by persons skilled in the art that numerous variations and/or modifications may be made to the invention as shown in the specific embodiments without departing from the spirit or scope of the invention as broadly described. The present embodiments are, therefore, to
5 be considered in all respects as illustrative and not restrictive.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
222

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A gaming machine graphics package, the graphics package including
a storage device for storing data relating to non-varying parts of an
image, the non-varying parts of the image being independent of an outcome
5 of a game played on the gaming machine;
an image generating means for generating simulated three-dimensional
additional parts of the image, the additional parts being dependent on the
game outcome; and
a compositing means for merging the non-varying parts of the image
10 and the additional parts of the image to provide to the player a composite
image relating to the game outcome.
2. The graphics package of claim 1 in which non-varying parts of the
image which are the same for all possible outcomes are pre-rendered and
15 stored in the storage device.
3. The graphics package of claim 2 in which the simulated three-
dimensional images are generated using 3D computer rendering software.
- 20 4. The graphics package of claim 3 in which, from the game outcome, the
relevant simulated three-dimensional images are generated and mapped to
appropriate locations in the non-varying parts of the image to be composited
and displayed to the player as a composite image dependent on the game
outcome.
- 25 5. The graphics package of any one of claims 2 to 4 in which the
compositing means is a Z-buffer compositor.
6. The graphics package of claim 5 in which the pre-rendered image is
30 created with a Z-buffer depth value for each pixel in every scene of the image.
7. The graphics package of claim 6 in which Z-buffer data are loaded into
a real time 3D video card for each frame of the image, the additional 3D
objects being composited into the image using 3D techniques and using the Z-
35 buffer data loaded with the image.

8. The graphics package of claim 7 in which the 3D objects appear in the image according to their Z positions.

9. The graphics package of any one of claims 2 to 4 in which the
5 compositing means employs an alpha channel.

10. The graphics package of claim 9 in which the image is separated into those parts which are pre-rendered and those that are drawn using real time 3D.

10

11. The graphics package of claim 10 in which, when an animation image is created, each pixel in a final output is output with additional information about alpha-channel values and a material value or object identification (ID).

12. The graphics package of claim 11 in which the material value or object ID is used to identify those pixels which are part of the pre-rendered image and those which will be generated in real time by a 3D engine.

13. The graphics package of claim 12 in which a post-processing stage in
20 an output file modifies the image alpha channel to mask out or include the real-time 3D parts of the image.

14. The graphics package of any one of claims 11 to 13 in which some pixels in the original image have an intermediate alpha value, better to merge
25 the separate elements of the image together.

15. The graphics package of any one of claims 10 to 14 in which, when creating the image, the real-time parts of the image are generated using a pure white surface.

30

16. The graphics package of claim 15 in which effects applied to this surface are also applied to the real-time generated pixels in the final output.

17. The graphics package of any one of claims 2 to 16 in which some
35 properties of the real-time 3D objects are pre-rendered and combined with the 3D object as it is being drawn on screen.

18. A method of presenting a game outcome of a game played on a gaming machine to a player, the method including the steps of
 storing data relating to non-varying parts of an image in a storage
 5 device, the non-varying parts of the image being independent of an outcome of a game played on the gaming machine;
 generating simulated three-dimensional additional parts of the image, the additional parts being dependent on the game outcome; and
 compositing the non-varying parts and the additional parts of the image
 10 to provide a composite image relating to the game outcome to the player.
19. The method of claim 18 which includes rendering the simulated 3D images in real time and compositing them with the non-varying images in real time.
- 15 20. The method of claim 18 or claim 19 which includes, prior to displaying a game outcome and its associated images to the player, determining the game outcome.
- 20 21. The method of claim 20 which includes, from the game outcome, generating the relevant simulated three-dimensional images and mapping them to appropriate locations in the non-varying parts of the image to be composited and displayed to the player as a composite image dependent on the game outcome.
- 25 22. The method of any one of claims 18 to 21 which includes using Z-buffer compositing.
23. The method of claim 22 which includes creating a pre-rendered image
 30 with a Z-buffer depth value for each pixel in every scene of the image.
24. The method of claim 23 which includes loading the Z-buffer data into a real time 3D video card for each frame of the image.

25. The method of claim 24 which includes compositing additional 3D objects into the image using 3D techniques and using the Z-buffer data loaded with the image.

5 26. The method of any one of claims 18 to 21 which includes creating an alpha channel as a compositing technique.

27. The method of claim 26 which includes separating the image into those parts which are pre-rendered and those that are drawn using real time 3D.

10

28. The method of claim 27 which includes outputting each pixel in a final output with additional information about alpha-channel values and a material value or object identification (ID).

15 29. The method of claim 28 which includes using the material value or object ID to identify those pixels which are part of the pre-rendered image and those which will be generated in real time by a 3D engine.

20 30. The method of claim 29 which includes using a post-processing stage in an output file to modify the image alpha channel to mask out or include the real-time 3D parts of the image.

31. The method of any one of claims 18 to 30 which includes pre-rendering some properties of the real-time 3D parts of the image and combining them
25 with the 3D parts of the image as the image is being drawn on screen.

32. A gaming machine graphics package as claimed in claim 1 and substantially as described herein with reference to the accompanying drawings.

30

33. A method of presenting to a player a game outcome of a game played on a gaming machine as claimed in claim 18 and substantially as described herein with reference to the accompanying drawings.

Dated this seventeenth day of October 2001

Aristocrat Technologies Australia Pty
Ltd

Patent Attorneys for the Applicant:

F B RICE & CO

P
E
N
S
I
O
N

E
N
D

S
E
E

P
E
N
S
I
O
N




FIG. 1




FIG. 2

FIG. 2

FIG. 2

FIG. 2

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

1
 2
 3
 4
 5
 6